

WHAT IS CLAIMED IS:

1. A method for managing three groups, the method comprising the steps of:
 - providing a first group with access to a web application, to place a first command into the web application;
 - providing a second group with access to the web application, to receive the first command from the first group;
 - providing the second group with access to the web application, to respond that the first command has been completed into the web application;
 - providing the first group with access to the web application, to place a second command into the web application;
 - providing a third group with access to the web application, to receive the second command from the first group;
 - providing the third group with access to the web application, to respond that the second command has been completed into the web application;
 - providing the first group with access to the web application, to place a third command into the web application;
 - providing the second group with access to the web application, to receive the third command from the first group; and
 - providing the second group with access to the web application, to respond that the third command has been completed into the web application.
2. The method of claim 1, wherein the web application may be accessed through a global internet and a local intranet.
3. The method of claim 2, wherein the first group manages the second and third groups.
4. The method of claim 1, wherein the steps must occur in chronological order.

5. The method of claim 1, wherein the second group is a pit contractor.
6. The method of claim 5, wherein the third group is a technician.
7. The method of claim 6, wherein the first group is a technician manager.
8. A method for managing three groups, the method comprising:
 - a first step of providing a first group with access to a web application, to place a first information into the web application;
 - a second step of providing a second group with access to the web application, to receive the first information from the first group;
 - a third step of providing the second group with access to the web application, to place a second information into the web application;
 - a fourth step of providing the first group with access to the web application, to receive the second information and to place a third information into the web application;
 - a fifth step of providing a third group with access to the web application, to receive the third information from the first group;
 - a sixth step of providing the third group with access to the web application, to place a fourth information into the web application;
 - a seventh step of providing the first group with access to the web application, to receive the fourth information and to place a fifth information into the web application;
 - an eighth step of providing the second group with access to the web application, to receive the fifth information from the first group; and
 - a ninth step of providing the second group with access to the web application, to place a sixth information into the web application,

wherein the second step must follow the first step, the third step must follow the second step, the fourth step must follow the third step, the fifth step must follow the fourth step, the sixth step must follow the fifth step, the seventh step must follow the sixth step, the eighth step must follow the seventh step, and the ninth step must follow the eighth step.

9. The method of claim 8, wherein the web application must be accessed by the first group, second group, and third group through a global internet.

10. The method of claim 9, wherein the web application must be accessed by the first group, second group, and third group also through a security firewall between the global internet and the web application.

11. The method of claim 10, wherein the second group is a pit contractor.

12. The method of claim 11, wherein the third group is a technician.

13. The method of claim 12, wherein the first group is a technician manager.

14. The method of claim 8, wherein the first, third, and fifth information are commands.

15. The method of claim 14, wherein the second information responds to the first information, the fourth information responds to the third information, and the sixth information responds to the fifth information.

16. A system for providing recordation of a plurality of information input into a plurality of input fields on a computer network application, the system comprising:

(a) a plurality of internal groups, wherein the plurality of internal groups inputs a first information into a plurality of internal input fields;

(b) a plurality of external groups, wherein the plurality of external groups inputs a second information into a plurality of external input fields;

(c) a first access limiter adapted to limit access by the plurality of internal groups to prevent the internal groups from inputting the first information into the plurality of external input fields; and

(d) a second access limiter adapted to limit access by the plurality of external groups to prevent the external groups from inputting the second information into the plurality of internal input fields,

wherein the computer network application records the first and second information input into the plurality of input fields.

17. The system of claim 16, wherein the computer network application is accessible through a local or global network.

18. The system of claim 17, wherein the plurality of internal groups communicates with the computer network application through the local network.

19. The system of claim 18, wherein the plurality of external groups communicates with the computer network application through the global network.

20. The system of claim 19, wherein the second access limiter includes a security firewall designed to prevent access to the computer program from any group other than the plurality of external groups and the plurality of internal groups.

21. The system of claim 16, wherein the system further includes a report generator.

22. The system of claim 21, wherein the report generator is designed to generate a report of the plurality of information.

23. The system of claim 22, wherein the report generator is designed to generate the reports based on: the first information inputted by any or all of the plurality of internal groups; the

second information inputted by any or all of the plurality of external groups; and a calendar date at which the plurality of information was inputted.

24. A method for managing a plurality of groups, the method comprising the steps of:

providing a first group of the plurality of groups with access to a central body of information to place information into the central body of information;

providing a second group of the plurality of groups with access to the central body of information to receive information from the first group;

providing the second group of the plurality of groups with access to the central body of information to place information into the central body of information;

providing a third group of the plurality of groups with access to the central body of information to receive information from the first group;

providing the third group with access to the central body of information to place information into the central body of information;

providing a fourth group of the plurality of groups with access to the central body of information to place information into the central body of information;

providing the second group of the plurality of groups with access to the central body of information to receive information from the fourth group of the plurality of groups; and

providing the second group of the plurality of groups with access to the central body of information to place information into the central body of information.

25. A method for managing a plurality of internal and external groups, the method comprising the steps of:

providing the plurality of internal groups with a first access to a central body of information to place a first information into the central body of information;

providing the plurality of external groups with a second access to the central body of information to receive the first information from the central body of information and to place a second information into the central body of information; and

providing the plurality of internal groups with the first access to the central body of information to receive the second information from the central body of information.

26. The method of claim 25, wherein the first access is provided through an intranet.
27. The method of claim 26, wherein the second access is provided through a global internet.
28. The method of claim 25, wherein the first information is a command directed to one or more of the plurality of external groups.
29. The method of claim 28, wherein the second information responds to the first information.
30. The method of 29, wherein the central body of information is a computer network application designed to be accessed through a global internet.